

CLAIMS

1 1. A method of transferring data packets between a server environment and a client, said
2 method comprising:
3 receiving a data packet from a stack in said server environment;
4 sending an acknowledgment packet to said stack; and
5 transmitting said data packet across an I/O bus in said server environment, wherein said
6 acknowledgment packet is sent to said stack without sending said acknowledgment packet across said
7 I/O bus.

1 2. The method of claim 1, wherein said data packets comprise TCP/IP data packets.

1 3. The method of claim 1, further comprising storing information regarding said transmitted data
2 packet in a network interface card.

1 4. The method of claim 3, further comprising transmitting said data packet across a network
2 from said server environment to said client.

1 5. The method of claim 4, further comprising said network interface card monitoring
2 acknowledgment packets regarding said data packet from said client.

1 6. The method of claim 5, further comprising recognizing an error condition if said
2 acknowledgment packet regarding said transmitted data packet is not receiving from said client.

1 7. The method of claim 6, further comprising transmitting an indication of said error condition
2 across said I/O bus.

1 8. A method of transferring data packets between a server and a client, said method
2 comprising:
3 acknowledging a data packet based on a driver mechanism of said server receiving said data
4 packet; and
5 transmitting said data packet across an I/O bus to a component of said server; and
6 storing information regarding said data packet at said component.

1 9. The method of claim 8, further comprising transmitting said data packet across a network
2 from said server to said client.

1 10. The method of claim 8, further comprising said component monitoring an acknowledgment
2 packet regarding said data packet from said client.

1 11. The method of claim 10, further comprising recognizing an error condition if said
2 component does not receive said acknowledgment packet regarding said data packet from said client.

1 12. The method of claim 11, further comprising transmitting an indication of said error condition
2 across said I/O bus.

1 13. The method of claim 8, wherein said data packet is acknowledged without sending an
2 acknowledgment packet across said I/O bus.

1 14. The method of claim 8, wherein said data packet comprise a TCP/IP data packet.

1 15. A server environment comprising:
2 an operating system having a stack mechanism and a driver mechanism;
3 a network interface card; and
4 a I/O bus coupled between said operating system and said network interface card, wherein
5 said driver mechanism to transmit a data packet across said I/O bus to said network interface card and
6 said driver mechanism to send an acknowledgment packet regarding said data packet to said stack
7 mechanism without transmitting said acknowledgment packet across said I/O bus.

1 16. The server environment of claim 15, wherein said data packet comprises a TCP/IP data
2 packet.

1 17. The server environment of claim 15, wherein said network interface card to store
2 information regarding said data packet transmitted across said I/O bus from said driver mechanism.

1 18. The server environment of claim 17, wherein said network interface card to transmit said
2 data packet across a network to a client.

1 19. The server environment of claim 18, wherein said network interface card to monitor an
2 acknowledgment packet regarding said data packet from said client.

1 20. The server environment of claim 19, wherein said network interface card to generate an
2 error condition if said acknowledgment packet regarding said data packet is not received from said
3 client.

1 21. The server environment of claim 20, wherein said network interface card to transmit said
2 error condition across said I/O bus to said driver mechanism.

1 22. A network interface card comprising:
2 a mechanism to communicate across an I/O bus so as to receive data packets;
3 a memory device to store information regarding said received data packets; and
4 a mechanism to communicate across a network so as to transmit said received data
5 packets to a remote system and to receive an acknowledgment packet from said remote system across
6 said network.

1 23. The network interface card of claim 22, further comprising an error indicating mechanism
2 to recognize an error condition if said acknowledgment packet regarding said data packet transmitted
3 across said network is not received from said remote system.

1 24. The network interface card of claim 22, wherein said data packets comprise TCP/IP data
2 packets.